


To: Saari, Christopher A - DNR
(Christopher.Saari@Wisconsin.gov)[Christopher.Saari@Wisconsin.gov]; Egan,
Robert[egan.robert@epa.gov]; KHanson@ldftribe.com[KHanson@ldftribe.com]
From: Dave Larsen
Sent: Fri 9/9/2016 3:20:27 PM
Subject: RE: Tower Standard
removed.txt




Hello again, would it be possible to get copies of the LIF logs? I my experience with LIF work, they should be able to produce real time output. I can then let Linda know the results because she is pretty upset right now.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.

From: Dave Larsen

Sent: Friday, September 09, 2016 9:09 AM

To: Saari, Christopher A - DNR (Christopher.Saari@Wisconsin.gov)

<Christopher.Saari@Wisconsin.gov>; 'Egan, Robert' <egan.robert@epa.gov>; Hanson, Kristen (KHanson@ldftribe.com) <KHanson@ldftribe.com>


Subject: Tower Standard




Hello All, I received a phone call at 2:00 pm yesterday from a very frustrated Linda Kozak regarding the attached letter.

Thank you,

David N. Larsen P.G

Hydrogeologist / Professional Geologist



Connect with us :   

Confidentiality Notice: This message is intended for the recipient only. If you have received this e-mail in error please disregard.